



ABC Research Corporation

3437 SW 24th Avenue
Gainesville, FL 32607

Telephone: (352) 372-0436
Fax: (352) 378-6483

LAB CERT# 82031

Effective May 1, 2005

NON-POTABLE WATERS BACTERIOLOGICAL ANALYSIS

FOR LAB USE ONLY

Paid: YES NO

Relinquished by: _____

Received by: _____

Lab Receipt Date & Time: _____

Analysis Date & Time: _____

SAMPLE ACCEPTANCE CRITERIA:

Sample Preservation On Ice Not on Ice ____ °C

Disinfectant Check Not Detected ____ mg/L

SYSTEM NAME: _____ COLLECTOR: _____

ADDRESS: _____ CITY/ STATE/ ZIP: _____

DATE & TIME COLLECTED: _____ TYPE OF SAMPLE: _____

PHONE/FAX: _____ COMMENTS: _____

⇒ Sample Containers Relinquished by: _____

⇒ Sample Containers Received by: _____

SAMPLE POINT or LOCATION	CLIENT SAMPLE FIELD ID	TESTS ORDERED	SAMPLE TYPE	DATE/TIME or COMMENTS	ABC LAB NO.
1.					
2.					
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					

Name & Mailing Address of Person to Receive Report

For enforcement samples, EPA recommends a maximum of 6 hours lapse from sample collection to receipt of sample in lab. Accuracy of test results from samples not received within this time frame may not be reliable.

*****ALL SAMPLES MUST BE STORED AND RECEIVED UNDER REFRIGERATED CONDITIONS*****